

LETTER OF OFFER

Date : _____

The Chief General Manager
National Bank for Agriculture
and Rural Development
Regional Office
11, Vipin Khand, Gomti Nagar
Lucknow - 226010

Dear Sir,

Supply and Installation of Public Address System at NABARD's
Regional Office Building at 11, Vipin Khand, Gomti nagar, Lucknow

Having examined the Technical Specifications and Schedule of Quantities relating to the works hereinafter set out and having visited and examined the site of the works and having acquired the requisite information relating thereto as affecting the work, I/We hereby offer to execute the works within the time specified at the rates mentioned in the Schedule of Quantities and in accordance in all respects with the Technical Specifications and instructions in your letter.

- | | | |
|----|--|--|
| a) | Description of work | Supply and Installation of Public Address System at NABARD's Regional Office Building at 11, Vipin Khand, Gomti nagar, Lucknow |
| b) | Earnest Money Deposit | Rs. 12,500.00 in the form of Pay Order/
Demand Draft drawn in favour of NABARD |
| c) | Time allowed for completion of the work from the tenth day of acceptance of offer to commence the work | : 30 Days |
| d) | Retention Money Deposit (RMD) | : 5% to be released after warranty period of one year. |
| e) | Tax deduction at source | : Works Contract Tax and Income Tax as applicable shall be deducted at source before making payment |

Should this offer be accepted, I/We hereby agree to abide by and fulfil the terms and provisions so far as they may be applicable or in default thereof to forfeit the EMD and pay to the National Bank for Agriculture and Rural Development, the amount mentioned in the said Conditions.

Yours faithfully

Signature of Bidder

NB.UPRO.LK/GAD - Premises/
Tuesday, August 22, 2006

/ PDC-42/2005-06

=====
For : CGM, NABARD, Premises Deptt., HO, Mumbai

From : CGM, NABARD, UPRO, Lucknow
=====

Construction of RO building at Gomti Nagar- Supply
and Installation of Public Address System

The Public Address system presently being used in RO was purchased in September 1999 and consisted of 12 delegate units and one chairman unit. The same serves limited delegates and has not been functioning well and the none of the local Philips Service centres are willing to take it for repairs as the spare parts are not available.

We therefore propose to purchase a Public Address System for the conference hall at the new building which has dimensions of around 21 x 14 metres and can seat 50 delegates around the table. The proposal consists of 24 delegate units, 1 chairman unit and 18 Nos. 6 watt speakers for uniform distribution of sound. The estimate for the same for Bosch (Philips) system works out to Rs. 6,26,940/- (Details in annexure).

A brief schedule of quantities (Copy enclosed) has been prepared wherein bidders are required to quote the AMC for the system after the expiry of the warranty period which will be taken into account while evaluating the bid. This will obviate the need for negotiating for AMC with authorised service dealers who tend to quote high rates because the items are proprietary and spares are not available in the open market.

You are requested to approve the estimate following which quotations as per usual procedure will be invited.

(R.P.Mishra)
Deputy General Manager
Encl. as above

TENDER ENQUIRY

Schedule To Tender

File No.PC/608/06(18)/NSG

Government of India

National Security Guard(MHA)

(Provisioning Directorate)

Mehram Nagar, Near Domestic Airport, Palam

New Delhi – 110 037

Tel No.011-25663100 / FAX : 011-25663177

PRICE PER TENDER SET : Nil

EARNEST MONEY REQUIRED: Nil

TENDER SET IS NOT TRANSFERABLE

LAST DATE AND TIME OF RECEIPT OF TENDER : **Up to 22/06/2006 by 1100 Hrs**

TIME AND DATE OF OPENING OF TENDER : **On 23/06/2006 at 1130 Hrs**

THE TENDER SHALL REMAIN OPEN FOR ACCEPTANCE TILL : **120 DAYS FROM THE DATE OF OPENING**

Tender Sl.

No.

Description of store Unit Qty Price Details to be given in separate sealed cover indicating rate per Unit, total cost plus ST and other charges and net cost on FOR destination basis.

21/06/ME

Public Address System

(Details as per Appendix ‘ ‘ enclosed)

Nos As per

Appendix ‘ ‘

enclosed

Note : All Tender Documents attached with this invitation to tender are sacrosanct for considering any offer as complete offer. It is therefore important that all tender documents duly completed and signed on each page are returned with your offer.

2. Firms submitting tenders by hand should drop their sealed tenders in the Tender Box placed at Office of DIG (Prov), HQ NSG, 1st Floor, Mehram Nagar, Near Domestic Airport, Palam, New Delhi – 110 037. In case of any difficulty in submission of tenders, bidders should contact Sqn Commander (Procurement) or Group Commander (Prov) NSG. NSG will not be responsible for missing/delaying of the tenders submitted at any other place. Firms sending tenders by post should address the envelope to Group Commander (Prov) Provisioning Directorate, NSG on the address given above.

3. The Tenderers should submit the Tenders in TWO BID SYSTEM i.e. the Tenderers should give the price bid in a separate sealed cover and the technical details in a separate sealed cover along with detailed specifications of the equipment offered supported by Leaflets, Brochure, if any. Both the above mentioned covers should be sealed separately and thereafter be kept in a third cover and again sealed. This cover should also be supersubscribed with the Tender No., stores and date of Tender opening. The composite bid i.e. rates indicated in the Technical Bid openly in Tender is liable to be ignored. Only the cover containing Technical Bid shall be opened on the date of tender opening. Price Bids relating to those offers only which will be technically acceptable will be opened for which the firms will be informed separately.

Signature of Tenderer Contd...

-2-

4. TWO BID SYSTEM

All bidders are required to submit their offers in two covers as under:-

FIRST COVER should contain the following:-

- i) Tender Documents duly completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.
- ii) Earnest Money if applicable.
- iii) F.O.R., terms, delivery quoted.
- iv) Performance statement for the last three years duly signed.
- v) Any other relevant document which the firm wishes to submit.

SECOND COVER should contain the following:

- (i) Details of rates, taxes, duties, discounts, if any, quoted by the bidder. These details should be submitted on their letter pad.
- (ii) F.O.R., terms, Delivery Period Quoted.

NOTE :- (a) The words "TECHNICAL BID" should be written clearly and prominently on the First Cover along with Tender No, Name of stores and date of opening. Similarly the words "PRICE BID" should be written clearly and prominently on the Second Cover along with Tender No., Name of stores and date of opening.

(b) Full Name and status of the person signing the tender documents must be clearly mentioned in the Tenders.

5. Incomplete offers, offers not conforming fully to Tender Enquiry requirements OR with vague replies OR without EARNEST MONEY if applicable, will not be considered.

6. Rates quoted by the firms should be on firm price basis. Firms must clearly indicate in their offer the different taxes and duties which they propose to charge extra mentioning clearly the present rates thereof. Vague offers like "as applicable" are liable to be ignored.

7. The Purchaser The President of India

8. Inspection Authority DG NSG , Mehram Nagar, Near Domestic Airport, New Delhi-110037

9. Inspecting Officer Board of Officers detailed by NSG

10. Stores required at OC DG Pool (Store), C/O GC ESG, NSG, Manesar, Gurgaon (Haryana)

11. Delivery required by

Terms of Delivery

Within 02 months or earlier from the date of issue of Supply Order in one lot. Partial shipment is not allowed.

Store is to be delivered on FOR destination basis.

12. Despatch instructions To ber delivered to the Consignee' end by the supplier at their own arrangements.

13. Packing & Marking As per relevant clause of the specifications.

14. Firms should clearly indicate warranty/terms and conditions arrangements for after sale service during life time of the equipment in India and training, if required by users. Period of warranty / guarantee should be mentioned on quotations, it should be minimum 01 year. Company should undertake to provide spares / repair back up on payment for minimum 05 years. Equipment offered have to be of branded company / firm only.

15. Firms whose technical bids are accepted may be asked to give functional demonstration / user trial of the store (accessories) offered on no cost no commitment basis before opening of their price bids. The acceptability / suitability of the equipment will be assessed based on technical specifications and functional demonstration.

Signature of Tenderer Contd...

-3-

16. Payment Terms:-

100% payment will be made only on receipt of store by the consignee at destination, as per Supply Order, in good condition and on acceptance of store after final inspection/serviceability test. Confirmation regarding acceptance of store will be made by the Consignee on the bills (pre-receipted) submitted to them, in triplicate. along with the consignment. The contractor will have to furnish Performance Security equivalent to 10% of contract value in the shape of Bank Guarantee in prescribed format for due performance of

contract. After supply of store, the Performance Security will convert into Performance Bond and the contractor will have to extend its validity so as to cover warranty period of 12 months from final acceptance of store after inspection.

17. Tenderers should disclose the Name and full address (along with Telephone/Fax Nos) of the place, where the stores will be manufactured.

18. The tenderers are required to furnish clause by clause compliance of specification as per Clause 1(A) of form DGS&D 231 ' to Tenderers' bringing out clearly deviation from specifications, if any.

The firms are advised to submit the compliance statement in the following format along with technical bid failing which their offer will be treated as incomplete and are liable to be ignored.

Format of Compliance Statement

Para of Tender

Enquiry

Specifications

Specification of eqpt
offered

Compliance to TE

specification (' or '

In case of non-compliance deviations to b
indicated in unambiguous terms

1 2 3 4

19. In case of delay in supplies the liquidated damages to the extent of 2% per month or part thereof subject to a maximum 10% of contract value will be deducted from the bill of the firm.. After the maximum limit of 10% the purchaser will reserve the right to either extend further or cancel the contract.

20. If the store is found defective, the firm will replace or repair the store under warranty at Consignee' place free of cost.

21. Condition of contract : As contained in DGS&D- 68 (Revised) and DGS&D-229

(Rakesh Sharma)

Signature of Tenderer Group Commander(Prov)

For & on behalf of President of India

Copy to SC(Ord), Prov Dte, HQ NSG for information w.r.t UO No. P/604/2006(457)/NSG/976-P dated 09/03/2006.

Appendix-A

LIST OF ITEMS

Sl No. Nomenclature Qty

1. Hand held wireless Microphone 02
2. Lapel Wireless Microphone 01
3. High Power Stage speaker 04
4. Heavy Duty Stand 04
5. High Power Stage Speaker (Low Frequency) 02
6. Mixer 01
7. Feed Back Destroyer 01
8. Scratch Mixer 01
9. Auto Track CD Player 01
10. 48/0.2mm Twin Twisted overall PVC insulated Audio Cable 100 Mtr
11. Rack 01
12. Patch Cord 10
13. Gooseneck microphone (Medium length) 02
14. Gooseneck microphone (Small length) 01

(Rakesh Sharma)

Group Commander (Prov)

SPECIFICATION OF PUBLIC ADDRESS SYSTEM

Hand Held Wireless Microphone

1. Receiver

- (a) Carrier Frequency range : VHF Hi Band 160 to 245 MHz
- (b) Working range : 100 Mtrs minimum.

2. Microphone

- (a) Carrier Frequency range : 160 to 245 MHz
- (b) Microphone element : Dynamic Microphone
- (c) Battery : Standard battery with minimum 8 hrs back up

Lapel Wireless Microphone

1. Receiver

- (a) Carrier Frequency range : UHF 780 to 960 MHz
- (b) Working range : 100 Mtrs minimum.

2. Microphone

- (a) Carrier Frequency range : UHF 780 to 960 MHz
- (b) Microphone element : Dynamic Microphone
- (c) Battery : Standard battery with minimum 8 hrs back up

High Power Stage Speakers

- 1. Amplifier : Three stage amplifier (flat/high response over band width of 0.05 KHz to 20 KHz)
- 2. Power Output (RMS) : 800 (500+200+100) watt or more
- 3. Loud Speakers : Bass low frequency range. Mid frequency range. High frequency range with comparator
- 4. Frequency Response : 50 Hz to 20 KHz
- 5. Output sound level : More than 130 dB
- 6. Input sensitivity : Less than 0 dB
- 7. Output connector : 2x balanced parallel

High Power Stage Speakers (Low Frequency)

- 1. Power Output (RMS) : 600 watt
- 2. Loud Speakers : 18" Bass
- 3. Frequency Response : 20 Hz to 150 KHz
- 4. Output sound level : More than 130 dB
- 5. Input sensitivity : Less than 0 dB
- 6. Output connector : 2x balanced, cross over output

Mixer (12 Channel or More)

- 1. Balanced Mike and Line inputs.
- 2. Three band equalizer.
- 3. 2 Aux Sends / 2 Returns.
- 4. Input : More than 12 channel digital LED display
- 5. Individual channel mute on each input.

Feedback Destroyer

- 1. 24 bit dual engine / 2 x 12 Band parametric Equalizer
- 2. Independent or coupled function of Left and Right channels.
- 3. Automatic attenuation and locking of feedback frequencies.
- 4. Auto mode monitoring of the mix, resetting filters and frequency band width and gain adjustment.

Scratch Mixer

- 1. 24 bit or more Digital Mixer.
- 2. More than 12 Beat Synch Effect.
- 3. Three Band Equalizer with frequency kills.
- 4. Two line input (Phone / Microphone) switchable phone / line, 1 microphone.
- 5. Two microphone input band equalizer.

Auto Track CD Player

1. Programmable track sequence
2. Illuminated CD drawers
3. Fader Start
4. Dual Track
5. Auto Cue
6. Digital Output
7. Anti shock buffer memory, skip, protection
8. CDR compatible
9. Minimum +/- 8 or 16% pitch control
10. Built in tap beat (BPM) counter
11. Sleep mode to save life
12. Interactive pitch / search wheel with finger control
13. Seamless loops and hot stutter start

Rack

1. 18 Gage Aluminium equipment rack made of High Quality Pretreated CRCA Steel Sheets Housing.
2. 3 No of Cordless Receiver panel
3. 1 No of OP Graphic Equalizer panel
4. 1 No of Feedback destroyer panel
5. 1 No of DVD / CD Player panel
6. 1 No of Mixer panel
7. 1 No of Power Supply panel Rack duly wired up and with front Acrylic lockable door

Gooseneck Microphone (Medium Length)

1. Freq Response : 50-16000 Hz (Minimum range)
2. Impedance : 1 K Ohm (Approximate)
3. Sensitivity : Better than 4 mV/Pa
4. Power source : Standard DC source with minimum 8 hrs backup
5. Length with base : 585 mm (23" approximate)

Gooseneck Microphone (Small Length)

1. Freq Response : 50-16000 Hz (Minimum range)
2. Impedance : 1 K Ohm (Approximate)
3. Sensitivity : Better than 4 mV/Pa
4. Power source : Standard DC source with minimum 8 hrs backup
5. Length with base : 460 mm (18" approximate)

(Rakesh Sharma)

Group Commander (Prov)