

Uttar Pradesh Regional Office

Corrigendum to Notice Inviting Tender

Name of Work: Interior Furnishing, Civil and Electrical Repair works in Main Conference Hall, NABARD, UPRO

CPPP Tender ID No: 2023_NABAR_711326_1, Tender Reference No: 2023_NABARD/UPPRO/Main Conference Hall

Bidders are advised to note the revised description/Unit/Quantity for items in Part II (Format for Price Bid/Bill of Quantities/Scope of Work) as under-

Item No. in BoQ	Item	Revised Description	Unit	Quantity
7	Providing and Laying Floor Tiling	Providing and laying Ultra Charged/ Glazed Vitrified tiles/Vitrified tiles / ceramic tiles cost not less than ₹1345 per sqm(as per dept. select) polished finish in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of SOMANI / JOHNSON / KAJARIA/NITCO make in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) or with conforming to IS : 15477, in average 6 mm thickness, Note Tiles joints should be matched correctly and warning in large size tile is not accepted and warping, break joints in tiles is corrected by contractor at his own cost. Size of tile 1200*600mm	Same as before	Same as before

15	Providing and Fixing Wall Panelling	Providing and fixing in panelling to the wall made out of G.I. section@ 600c/c bothways with 1.5 mm thk laminate of Green lam/Archid/Euro/SunMica/Vir/Surfica or eq. of approved shade or required thickness as approved by deptt fixed on 12 mm thk. ply of Green ply/ Duro ply, including PU Polishing rates are including of required grooves in panelling as per drawing and direction. Panelling to have required teak wood beading on upper end and junction of floor and vertical surface and top edge. All teak wood surfaces to be PU Polished, complete to satisfaction of site in charge / Architect. The rate is including all fitting and fixtures adhesive and other hardware including cleaning, etc complete.of colour approved by site incharge/ Architect fixed on G.I. section at 1200 x1200 spacing of required thickness fixed on the 'W' profile (0.55 mm thick) above 900mm	Same as before	Same as before
17	Table Modification	Same as before	Rm	56
18 & 19	False Ceiling	The description against item no.19 is repetitive and may be omitted. However, the unit and quantity is as indicated	sgm	26

Instruction to bidders:

All bidders who have already submitted the bid shall go through corrigendum and re-submit Part II of documents.

Drawings:

High resolution drawing is provided for better understanding of scope of work and actual work to be undertaken by the prospective bidder.

The last date of submission of tender has been extended upto 15:00 on 12.06.2023.

Other terms and conditions of the tender will remain the same.



NABARD, UPRO