



Ref. No.NB.GUJ/5886/DPSP/140/2019-20

12 March 2020

**CORRIGENDUM**

Ref. No NB.Guj/5418/DPSP/140/2019-20

**Name of Work: Tender for Renovation Work of Staff Lounge and Canteen at 1st floor, NABARD Tower, Usmanpura, Ahmedabad - 380013**

We would like to invite your attention in respect of invitation of bids on the captioned subject. As per Tender Document, a pre-bid meeting was scheduled to clarify the doubts / queries raised and suggestions received in respect of technical specification part of the tender by the participating bidders as per following details:

|                      |  |
|----------------------|--|
| <b>Date and Time</b> | 11 March 2020 at 2:30 PM   |
| <b>Venue</b>         | 3 <sup>rd</sup> Floor, Mini Conference Hall, NABARD Gujarat Regional Office, NABARD Tower, Usmanpura, Ahmedabad-380013 |

**Details of the participants in the pre-bid meeting was as under:**

1. Details of Participating Bidders / Representatives:

| Sl. No. | Name of the Bidder / Representative (Shri) | Name of Company / Firm |
|---------|--|------------------------|
| 1       | Shri Shailesh Korla                        | M/s Landmark Interiors |

2. Details of NABARD Officers present in the Pre-Bid Meeting

| Sl. No. | Name of the Officer           | Designation | Name of Organization |
|---------|-------------------------------|-------------|----------------------|
| 1       | Shri Mahesh Prasad Pahadsingh | DGM         | NABARD Gujarat RO    |
| 2       | Shri Rajesh Kumar             | AGM         | NABARD Gujarat RO    |
| 3       | Shri Hritik Walia             | AM          | NABARD Gujarat RO    |

Based on the extensive discussions and queries of the participating bidders on Technical and Commercial parts, both oral and written, all the queries raised by the bidders / representatives were clarified with explanation and appropriately responded to their satisfaction. Accordingly, the following points in the Tender Document are **amended**:

**राष्ट्रीय कृषि और ग्रामीण विकास बैंक**  
**National Bank for Agriculture and Rural Development**

परिसर, सुरक्षा एवं अधिप्राप्ति अनुभाग

नाबार्ड गुजरात क्षेत्रीय कार्यालय, नाबार्ड टावर, म्युनिसिपल गार्डन के सामने, उसमानपुरा, अहमदाबाद-380013. टेली: +91 79 27551478 • फ़ैक्स: +91 79 27551584 • ई मेल: dsp.ahmedabad@nabard.org

Department of Premises, Security & Procurement

NABARD Gujarat Regional Office, NABARD Tower, Opp- Municipal Garden, Usmanpura, Ahmedabad-380013 • Tel.: +91 27551478 • Fax: +91 27551584 • E-mail: dsp.ahmedabad@nabard.org

गांव बढ़े >> तो देश बढ़े

www.nabard.org

Taking Rural India >> Forward

| Sl. No. | Tender Document Reference | Existing Terms / Clause  | Qty            | Modified Terms/Clause   | Qty                               |
|---------|---------------------------|--|----------------|---|-----------------------------------|
| 1.      | <b>S.No. 6, Page 64</b>   | 6. Providing and laying glazed tiles 6mm thick in skirting risers of steps and dado on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry.  | <b>17 Smt</b>  | 6(a) Providing and laying <b>glazed tiles 6mm thick in skirting</b> on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry. Size 450mm x 300mm<br><br>6(b) Providing and laying <b>Italian Mosaic Tiles 6mm thick on 10mm thick cement plaster 1:3 (1-cement : 3-coarse sand) and jointed with white cement slurry.</b> | <b>17 Smt</b><br><br><b>2 Smt</b> |
| 2.      | <b>S.No 10, Page 64</b>   | <b>Vitrified flooring</b>  | <b>265 Smt</b> | <b>Vitrified flooring</b>   | <b>265 Smt</b>                    |
|         |                           | P & L 600mm x 600mm vitrified matt finished 8 mm to 10mm thick tile flooring fixing on existing flooring by adhesive material including dismantling of broken tiles and jointed with color cement slurry including finished with flush pointing & cleaning the surface etc. complete with combination of DARK/LIGHT shade. |                | P & L 600mm x 600mm vitrified matt finished 8 mm to 10mm thick tile flooring fixing on existing flooring by adhesive material including dismantling of broken tiles and jointed with color cement slurry including finished with flush pointing & cleaning the surface etc. complete with combination of DARK/LIGHT shade.. <b>Base rate is Rs 600/Smt</b>        |                                   |
| 3.      | <b>S.No 12, Page 64</b>   | <b>Sliding folding fully glass door</b>  | <b>13 Smt</b>  | <b>Sliding folding fully glass door</b>   | <b>13 Smt</b>                     |
|         |                           | Providing and fixing fully glaze sliding folding door made from 10mm thick toughened glass with all approved make fitting and fixtures. Door having a  |                | Providing and fixing fully glaze sliding folding door made from 10mm thick toughened glass with all approved make fitting and fixtures. Door having a   |                                   |

### राष्ट्रीय कृषि और ग्रामीण विकास बैंक

## National Bank for Agriculture and Rural Development

परिसर, सुरक्षा एवं अधिप्राप्ति अनुभाग

नाबार्ड गुजरात क्षेत्रीय कार्यालय, नाबार्ड टावर, म्युनिसिपल गार्डन के सामने, उसमानपुरा, अहमदाबाद-380013. टेली: +91 79 27551478 • फ़ैक्स: +91 79 27551584 • ई मेल: dpsp.ahmedabad@nabard.org

Department of Premises, Security & Procurement

NABARD Gujarat Regional Office, NABARD Tower, Opp- Municipal Garden, Usmanpura, Ahmedabad-380013 • Tel.: +91 27551478 • Fax: +91 27551584 • E-mail: dpsp.ahmedabad@nabard.org

गांव बढ़े >> तो देश बढ़े

www.nabard.org

Taking Rural India >> Forward

|    |                             |   |               |  |               |
|----|-----------------------------|---|---------------|--|---------------|
|    |                             | handles, sliding folding channels, locks etc. Rate should be included cut the gypsum ceiling and refinished in proper manners.  |               | handles, sliding folding channels, locks etc. Rate should be included cut the gypsum ceiling and refinished in proper manners. <b>The sliding door to be fitted on MS frame structure fixed to overhead structure above false ceiling.</b>                           |               |
| 4. | <b>S.No 17,<br/>Page 65</b> | <b>Flush door including Ghana teak fixed frame in paint</b>   | <b>7 Smt</b>  | <b>Flush door including Ghana teak fixed frame(100mm x 62.5mm) in paint</b>  | <b>7 Smt</b>  |
| 5. | <b>S.No 18,<br/>Page 66</b> | <b>Laminated paneling</b>   | <b>20 Smt</b> | <b>Laminated paneling</b>  | <b>20 Smt</b> |
|    |                             | Providing and fixing laminated paneling made from hard wood frame with 8mm thick ply with 1.0mm thick laminate. Complete with all necessary hardware  |               | Providing and fixing laminated paneling made from hard wood frame ( <b>50mm x 25mm</b> ) with 8mm thick ply with 1.0mm thick laminate. Complete with all necessary hardware  |               |
| 6. | <b>S.No 22,<br/>Page 66</b> | <b>Repolished existing kota stone flooring</b>  | <b>56 Smt</b> | <b>Repolished existing kota stone flooring</b>   | <b>56 Smt</b> |
|    |                             | Repolishing on Kota stone, Marble work, Granite work, stone work where ever required to give high gloss, mirror etc. finish etc. complete with necessary requirements, rubbing of floors, grease, mop grinding stones etc. as directed by Employer/Architect. |               | Repolishing on Kota stone, Marble work, Granite work, stone work where ever required to give high gloss, <b>semi-mirror finish</b> etc. complete with necessary requirements, rubbing of floors, grease, mop grinding stones etc. as directed by Employer/Architect. |               |
| 7. | <b>S.No 28,<br/>Page 68</b> | <b>28. Counter top washbasin</b>  | <b>2 Nos</b>  | <b>28(a) Counter top washbasin</b>   | <b>2 Nos</b>  |
|    |                             | Providing and fixing counter top type washbasin with single hole for pillar tap including C.P. brass waste,   |               | Providing and fixing counter top type washbasin with single hole for pillar tap including C.P. brass waste,  |               |

### राष्ट्रीय कृषि और ग्रामीण विकास बैंक

## National Bank for Agriculture and Rural Development

परिसर, सुरक्षा एवं अधिप्राप्ति अनुभाग

नाबार्ड गुजरात क्षेत्रीय कार्यालय, नाबार्ड टावर, म्युनिसिपल गार्डन के सामने, उसमानपुरा, अहमदाबाद-380013. टेली: +91 79 27551478 • फ़ैक्स: +91 79 27551584 • ई मेल: dpsp.ahmedabad@nabard.org

Department of Premises, Security & Procurement

NABARD Gujarat Regional Office, NABARD Tower, Opp- Municipal Garden, Usmanpura, Ahmedabad-380013 • Tel.: +91 27551478 • Fax: +91 27551584 • E-mail: dpsp.ahmedabad@nabard.org

गांव बढ़े >> तो देश बढ़े

www.nabard.org

Taking Rural India >> Forward

|  |  |  |  |   |              |
|--|--|--|--|---|--------------|
|  |  | M.I. Fisher, Angle cock 15 mm heavy duty with cap, connection pipe with C.I. or M.S. brackets, bottle trap, angle cocks, painted white including cutting holes and making good the same but including fittings. (A) Vitreous China (ii) Flat Back washbasin 550 mm x v 400mm size. |  | M.I. Fisher, Angle cock 15 mm heavy duty with cap, connection pipe with C.I. or M.S. brackets, bottle trap, angle cocks, painted white including cutting holes and making good the same but including fittings. <b>Floating Type wash basin, Cera 1046 Cloister model with pillar cock and sensor based automatic tap system of Jaquar company to be installed.</b>   |              |
|  |  |  |  | <b>28(b) Providing laying and jointing in true line and level U.P.V.C. Pipe ( SCH- 40) for cold water including fittings make PRINCE / SUPREME / ASTRAL / FINOLEX or equivalent as approved. Pipe shall be concealed as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials. (Make as per Approved Make) (15mm dia.)</b> | <b>5 Rmt</b> |
|  |  |  |  | <b>(i) (25mm dia.) U.P.V.C. Pipe ( SCH- 40)</b>   | <b>5 Rmt</b> |
|  |  |  |  | <b>(ii) (32mm dia.) U.P.V.C. Pipe ( SCH- 40)</b>  | <b>5 Rmt</b> |
|  |  |  |  | <b>(iii) (40mm dia.) U.P.V.C. Pipe ( SCH- 40)</b>   | <b>5 Rmt</b> |
|  |  |  |  | <b>Providing laying and jointing in true line and level 75mm dia. U.P.V.C. SWR Pipe ( Type-B) for cold water including fittings</b>   | <b>5 Rmt</b> |

**राष्ट्रीय कृषि और ग्रामीण विकास बैंक**

**National Bank for Agriculture and Rural Development**

परिसर, सुरक्षा एवं अधिप्राप्ति अनुभाग

नाबार्ड गुजरात क्षेत्रीय कार्यालय, नाबार्ड टावर, म्युनिसिपल गार्डन के सामने, उसमानपुरा, अहमदाबाद-380013. टेली: +91 79 27551478 • फ़ैक्स: +91 79 27551584 • ई मेल: dpsp.ahmedabad@nabard.org

Department of Premises, Security & Procurement



|    |                         |                  |       |  |       |
|----|-------------------------|------------------|-------|--|-------|
|    |                         |                  |       | make PRINCE / SUPREME / ASTRAL / FINOLEX or equivalent as approved. Pipe shall be concealed as directed including necessary fittings, fixtures and fastenings, etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials. |       |
| 8. | S.No. 29,<br>Page No 68 | Granite platform | 2 Smt | Sandwich Type Granite platform   | 2 Smt |

**Note:** This Corrigendum shall form part of the Tender Document. Bidders are requested to sign and seal this document and submit it with the Technical Bid part confirming acceptance of the same.

Sd/-

**(Rajesh Kumar)**  
**Asst General Manager**

राष्ट्रीय कृषि और ग्रामीण विकास बैंक  
**National Bank for Agriculture and Rural Development**

परिसर, सुरक्षा एवं अधिप्राप्ति अनुभाग

नाबार्ड गुजरात क्षेत्रीय कार्यालय, नाबार्ड टावर, म्युनिसिपल गार्डन के सामने, उसमानपुरा, अहमदाबाद-380013. टेली: +91 79 27551478 • फ़ैक्स: +91 79 27551584 • ई मेल: dpsc.ahmedabad@nabard.org

Department of Premises, Security & Procurement

NABARD Gujarat Regional Office, NABARD Tower, Opp- Municipal Garden, Usmanpura, Ahmedabad-380013 • Tel.: +91 27551478 • Fax: +91 27551584 • E-mail: dpsc.ahmedabad@nabard.org

गांव बढ़े >> तो देश बढ़े

www.nabard.org

Taking Rural India >> Forward