

Corrigendum

GeM BID Reference Number GEM/2025/B/6055131 Tender for Supply and Installation of Senior Officer Chairs at NABARD Head Office, Mumbai

Clarifications on queries raised by the bidders during pre-bid meeting held on 20/03/2025.

Sr. No.	Query Raised by the Bidders	Clarification Issued by NABARD
1.	The firm, during the last 3 years ending on 31 March 2024, should have completed the supply and installation of Office Chairs for the following value of at least: three similar works each valuing not less than ₹13,36,160=00. OR two similar works each valuing not less than ₹16,71,000=00 OR one similar work valuing not less than ₹26,73,000=00. One of the agencies has raised the query, whether the firm indicated in the clause is OEM or Authorised dealers? And which firm should possess the required work experience certificate as indicated above?	The "Firm" could be the OEM or Authorised dealer. The participating firm should possess the required work experience and value of work as indicated in the tender clause.

राष्ट्रीय कृषि और ग्रामीण विकास बैंक

National Bank for Agriculture and Rural Development

परिसर सुरक्षा और अधिप्राप्ति विभाग DEPARTMENT OF PREMISES SECURITY AND PROCUREMENT



2. Service Centre Requirements:
Bidders must have their own service
centre in Mumbai with a minimum of
07 years of operation. Documentary
proof of the address needs to be
submitted with the bid.

The bidder should submit details of their own service centre in Mumbai with a minimum of 07 years of operation.

OR

The Bidder should submit Annexure

— IV (Manufacturer's Authorisation
Form (MAF)/ OEM Authorisation
Form) and Annexure — V [Backup
Commitment from the
Manufacturer for Maintenance of
Goods Supplied (on Manufacturer's
letterhead)] mandatorily to confirm
their backup support service team
from their OEM, in case they do not
have a service centre.

Failing which, the bidder shall not be qualified in the technical bid.

3. The Bank at its discretion if required will be carrying out testing of the office chairs randomly in reputed and accredited test houses or engineering institutions. The Bidder shall arrange the necessary logistics and conveyance for arranging the test. The cost for testing by the test houses will be borne by the bidder.

a. The items (Office Chairs) will be accepted if the test results are

No Change

राष्ट्रीय कृषि और ग्रामीण विकास बैंक

National Bank for Agriculture and Rural Development

परिसर सुरक्षा और अधिप्राप्ति विभाग

DEPARTMENT OF PREMISES SECURITY AND PROCUREMENT



meeting the specifications provided in the tender.	
b. If the test results are failure - The successful bidder has to replace the whole lot of supplied items to NABARD with a new lot of items meeting the specifications within 30 days failing which the contract will be cancelled and the EMD will be forfeited, and also the firm will be blacklisted from participating	
in future tenders of NABARD.	
The agency requested to modify the clause as they have already carried out the necessary tests before supply of chairs.	
The vendors requested for mail communications of shortfall documents, corrigendum, if any in addition to documents uploaded in the GeM portal and Bank's Website.	The bidders should regularly check the portal for any updates pertaining to the ongoing bid.

* This document will be part of the tender.

Ashwin Dawane

4.

Assistant General Manager

Department Of Premises, Security and Procurement

National Bank for Agriculture and Rural Development (NABARD)

Plot C-24, G Block, Bandra Kurla complex, BKC Road, Bandra East, Mumbai, Maharashtra 400051

राष्ट्रीय कृषि और ग्रामीण विकास बैंक

National Bank for Agriculture and Rural Development

परिसर सुरक्षा और अधिप्राप्ति विभाग

DEPARTMENT OF PREMISES SECURITY AND PROCUREMENT

प्लॉट क्र सी-21, जी' ब्लॉक, बांद्र-कुर्सा कॉम्प्लेक्स, बांद्रा (पूर्व), मुंबई - 400 051. देली: +91 22 2653 9022 • फ़ैक्स: +91 22 2653 0071 • ई मेल: dpsp@nabard.org
Plot No. C-24, 'G' Block, Bendra-Kurla Complex, Bandra (E), Mumbai - 400 051 • Tel.: +91 22 2653 9022 • Fax: +91 22 2653 0071 • E-mail: dpsp@nabard.org